



IEA Greenhouse Gas R&D Programme



# **Eighth Annual Conference on Carbon Capture & Sequestration**

*IEA Greenhouse Gas R&D Programme Special Session*

**What have we learnt from large scale CCS projects?**

Tim Dixon, Neil Wildgust, Mike Haines and Brendan Beck

May 4 -7, 2009 • Sheraton Station Square • Pittsburgh, Pennsylvania

---

[www.ieagreen.org.uk](http://www.ieagreen.org.uk)



# IEA Greenhouse Gas R&D Programme



## IEA GHG Contracting Parties and Sponsors

Logos and flags of contracting parties and sponsors are displayed around a central world map. The logos include: TOTAL, VATTENFALL, ALSTOM, B&W power generation group, BG GROUP, bp, ConocoPhillips, Statkraft, Schlumberger, Shell, RWE, REPJOL YPF, JGC, ExxonMobil, EPRI, e-on, Chevron, CIAB, CEZ GROUP, and the European Union flag. National flags are also present for the UK, USA, Austria, Australia, Canada, Denmark, Finland, France, Germany, India, Japan, Korea, and Norway.

[www.ieagreen.org.uk](http://www.ieagreen.org.uk)



# What have we learnt to date - projects?

- Review current operational large-scale CCS projects
  - Assess learning from projects
  - Identify gaps in the global CCS project portfolio
- Focus on projects relevant to full-commercial scale operation
  - Includes:
    - Large-scale pilot
    - Demonstration
    - Commercial
  - Excludes
    - Small and medium pilot
    - Lab scale
  - Define criteria – Identify projects – Collect information - Analyse



# Criteria for large-scale operational projects

- Indicative criteria defined for 'large-scale operational projects'
- Was, or had been, operational by the end of 2008, and either:-
  - Captured over 10,000 tCO<sub>2</sub> per year from a flue gas
  - Injected over 10,000 tCO<sub>2</sub> per year with the purpose of geological storage with monitoring
  - Captured over 100,000 tCO<sub>2</sub> per year from any source
  - Coal-bed storage of over 10,000 tCO<sub>2</sub> per year
- *Commercial CO<sub>2</sub>-EOR was excluded unless there was a monitoring programme to provide learning*
- *Did not need to be fully integrated*
- Added term '*large-scale operational*' to IEA GHG Projects Database



## Projects identified

Bellingham Cogeneration Facility	IFFCO CO2 Recovery Plant – Aonla
CASTOR Project	Prosint Methanol Plant
Great Plains Synfuel Plant	Rangely CO2 Project
IMC Global Soda Plant	Schwarze Pumpe
In Salah	SECARB - Cranfield II
K12-B	Shady Point Power Plant
Ketzin Project	Sleipner
MRCSP - Michigan Basin	Snohvit LNG Project
Nagaoka	SRCSP - Aneth EOR-Paradox Basin
Otway Basin Project	SRCSP - San Juan Basin
Pembina Cardium Project	Sumitomo Chemicals Plant
Petronas Fertilizer Plant	Warrior Run Power Plant
IFFCO CO2 Recovery Plant - Phulpur	Weyburn
Chemical Co. “A” CO2 Recovery Plant	Zama EOR Project



## Projects identified

Bellingham Cogeneration Facility	IFFCO CO2 Recovery Plant – Aonla	
CASTOR Project	Prosint Methanol Plant	
Great Plains Synfuel Plant	Rangely CO2 Project	Capture over 100ktCO <sub>2</sub>
IMC Global Soda Plant	Schwarze Pumpe	
In Salah	SECARB - Cranfield II	Injection over 10ktCO <sub>2</sub> for storage
K12-B	Shady Point Power Plant	
Ketzin Project	Sleipner	
MRCSP - Michigan Basin	Snohvit LNG Project	
Nagaoka	SRCSP - Aneth EOR-Paradox Basin	Monitored EOR over 10ktCO <sub>2</sub>
Otway Basin Project	SRCSP - San Juan Basin	
Pembina Cardium Project	Sumitomo Chemicals Plant	Capture over 10ktCO <sub>2</sub> from flue gas
Petronas Fertilizer Plant	Warrior Run Power Plant	
IFFCO CO2 Recovery Plant - Phulpur	Weyburn	
Chemical Co. "A" CO2 Recovery Plant	Zama EOR Project	Coal bed storage over 10ktCO <sub>2</sub>



## Project Locations





## Extent of coverage vs ZEP project matrix

Archetype 1	• Lignite/co-firing with Biomass	• Pre-combustion, variant A	• Cross-border pipeline	• Offshore depleted oil & gas field
Archetype 2	• Gas	• Post-combustion, variant A	• Pipeline	• Onshore structural deep saline aquifer
Archetype 3	• Hard Coal	• Oxy-fuel, variant A	• Ship	• Offshore open deep saline aquifer
Archetype 4	• Hard Coal	• Post-combustion, variant A	• Pipeline	• Onshore depleted oil & gas field
Archetype 5	• Lignite	• Oxy-fuel, variant B	• Pipeline	• Onshore structural deep saline aquifer
Archetype 6	• Hard Coal	• Pre-combustion, variant B	• Pipeline	• Offshore depleted oil & gas field
Archetype 7	• Hard Coal	• Post-combustion, variant B	• Pipeline	• Onshore open deep saline aquifer

Demonstrated in operational large projects

Not demonstrated in operational large projects

Project matrix courtesy of EU Technology Platform for Zero Emission Fossil Fuel Power Plants - ZEP (2008)





## Extent of Coverage

- If integrated CCS from electricity production is a 4 link chain:
  - Electricity production
  - Capture
  - Transport
  - Storage
- 2 and 3 link chains have been demonstrated over 1Mt CO<sub>2</sub> per year





# Extent of coverage - Capture

- 13 plants capturing from combustion processes
  - 11 post-combustion
  - 1 pre-combustion
  - 1 oxyfuel
- 9 projects source CO<sub>2</sub> from industrial processing (Natural gas separation, ammonia, LNG, hydrogen production)
- Multiple fuels represented
  - Hard coal
  - Lignite
  - Natural Gas
  - Industrial processes
- Over 10Mt of CO<sub>2</sub> captured per year




## Extent of coverage - Transport

- Pipeline
  - Single sink source pipelines
  - Multiple source-multiple sink pipeline networks
- Truck
- Cross-border transport
- Transport over 860km



## Net CO<sub>2</sub> Storage per Year






# Extent of coverage – Monitoring

- 2D seismic
- 3D seismic
- 4D seismic
- Vertical seismic profiling
- Cross-well seismic
- Electrical conductivity
- Microseismic
- Passive seismic
- Soil gas sampling
- Detector arrays
- Eddy covariance
- Observation wells
- Time lapse microgravity
- Well temperature and pressure
- Well logs
- Tracers
- Ground water geochemistry
- Interferometry
- Satellite imaging
- Tilt meters



# Permeability





## Emerging Themes

- **Injectivity** – importance, problems, solutions
- **Material corrosion** – less than anticipated
- **Seismic**
  - Effective for monitoring the CO<sub>2</sub> plume - where it can be used
  - Not quantitative beyond a certain resolution
  - Expensive
- **Other monitoring** – e.g. electrical conductivity viewed as promising; desire for better direct sampling at reservoir conditions; can we move from R&D to commercial suite of tools?



## Preliminary Conclusions

- Elements of CCS are operating at large scale
- Integrated CCS is operating at large scale, just not from power plant
- **There is a lot that has been learnt from existing projects, but more can be done to share the learning**
- CCS industry can build on existing projects' experience
- Increasing IPR issues will affect sharing learning





# IEA Greenhouse Gas R&D Programme



## IEA Greenhouse Gas R&D Programme

- General - [www.ieagreen.org.uk](http://www.ieagreen.org.uk)
- CCS - [www.co2captureandstorage.info](http://www.co2captureandstorage.info)

